

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (*Original*) A mounting apparatus used for a flat panel display comprising:  
a handle member disposed at an edge of the flat panel display;  
a supporting member pivotally secured to the handle member, the supporting member comprising a first arm portion and a second arm portion where an obtuse angle is formed between the first arm portion and the second arm portion; and  
a stand member disposed at an end of the second arm portion;  
wherein the second arm portion comprises holes for fastening the mounting apparatus to either a wall or a ceiling.
2. (*Original*) The mounting apparatus of claim 1, wherein the supporting member further comprises a tube member pivotally secured to an end of the first arm portion to allow the supporting member to pivot on the handle member.
3. (*Original*) The mounting apparatus of claim 1, wherein a predetermined height of the supporting member ranges from the 0.8-fold to one-fold of the total length of an upright flat panel display and the handle member attached therewith.
4. (*Original*) The mounting apparatus of claim 1, wherein the stand member is made of rubber.
5. (*Original*) A flat panel display comprising:  
a display screen;  
a handle member disposed at an edge of the display screen;  
a supporting member pivotally secured to the handle member, the supporting member comprising a first arm portion and a second arm portion wherein an obtuse angle is formed between the first arm portion and the second arm portion; and  
a stand member disposed at an end of the second arm portion;  
wherein the second arm portion comprises holes for fastening the mounting apparatus to either a wall or a ceiling.

6. *(Original)* The flat panel display apparatus of claim 5, wherein the supporting member further comprises a tube member pivotally secured to an end of the first arm portion to allow the supporting member to pivot on the handle member.

7. *(Original)* The flat panel display apparatus of claim 5, wherein a predetermined height of the supporting member ranges from the 0.8-fold to one-fold of the total length of an upright display screen and the handle member attached therewith.

8. *(Original)* The flat panel display apparatus of claim 5, wherein the stand member is made of rubber.

9. *(Original)* A mounting apparatus used for a flat panel display comprising:  
a connecting member disposed at the back of the flat panel display;  
a supporting member pivotally secured to the connecting member, the supporting member comprising a first arm portion and a second arm portion where an obtuse angle is formed between the first arm portion and the second arm portion; and  
a stand member disposed at an end of the second arm portion;  
wherein the second arm portion comprises holes for fastening the mounting apparatus to either a wall or a ceiling.

10. *(Original)* The mounting apparatus of claim 9, wherein the supporting member further comprises a tube member pivotally secured to an end of the first arm portion to allow the supporting member to pivot on the connecting member.

11. *(Original)* The mounting apparatus of claim 9, wherein a predetermined height of the supporting member ranges from the 0.8-fold to one-fold of the total length of an upright flat panel display and the connecting member attached therewith.

12. *(Original)* The mounting apparatus of claim 9, wherein the stand member is made of rubber.

13. *(Original)* A flat panel display apparatus comprising.  
a display screen;  
a connecting member disposed at the back of the display screen;

a supporting member pivotally secured to the connecting member, the supporting member comprising a first arm portion and a second arm portion where an obtuse angle is formed between the first portion and the second arm portion; and

a stand member disposed at an end of the second arm portion;

wherein the second arm portion comprises holes for fastening the mounting apparatus to either a wall or a ceiling.

14. *(Original)* The flat panel display apparatus of claim 13, wherein the supporting member further comprises a tube member pivotally secured to an end of the first arm portion to allow the supporting member to pivot on the connecting member.

15. *(Original)* The flat panel display apparatus of claim 13, wherein a predetermined height of the supporting member ranges from the 0.8 fold to one-fold of the total length of an upright flat panel display and the connecting member attached therewith.

16. *(Original)* The flat panel display apparatus of claim 13, wherein the stand member is made of rubber.

17. – 28. *(Canceled)*